



WHY ENELOOP?

eneloop combines the advantages of rechargeable and alkaline batteries.

Rechargeable Battery

Cost saving
High Power
Environmentally friendly



Alkaline Battery


Ready-to-use
Long Shelf Life
Any Application



BEST RATED	
ETM TESTMAGAZIN - RESULT	
SANYO - eneloop	
EXCELLENT	95,7 %
18 NiMH-Haccus (AA) tested	Issue 05/2009

*ETM Testmagazin Result achieved with eneloop HR-3UTG.

eneloop impresses with extended service life.





Take up to four times as many pictures with your digital camera using eneloop.

* Compared to SANYO alkaline batteries (LR6). Tested digital camera: SANYO DSC-S4. 1 shot every 20 seconds, 1 flash every 3 shots. LCD stays ON; at room temperature. Number of shots may differ, given the application and conditions.


eneloop is suitable for temperatures as low as -20°C.

*The operation time can be shorter than at room temperature. Depending on the application and current output.




eneloop is pre-charged by solar energy.

*Through the Green Power Certification System in Japan, eneloop is pre-charged by "green power" from photovoltaic generation.



eneloop - combining cost efficiency and environmental compatibility.

eneloop replaces disposable batteries in almost all of your household devices.



*1 All statements in the catalogue concerning the remaining capacity of eneloop/eneloop lite are based on storing a fully charged battery at room temperature for 3 years. (Discharge current eneloop HR-3UTG: 740mA, eneloop lite HR-3ULG: 740mA, cell discharge cut voltage 1.0V).
*2 All statements concerning the remaining capacity of XX powered by eneloop are based on storing a fully charged battery at room temperature for 1 year. (Discharge current HR-3UWX: 740 mA, cell discharge cut voltage 1.0V).
All statements concerning the life of the battery (cycle) are based on IEC61951-2(7.4.1.1.).





HR-3UTGA-8BP

Order Number: F734S1124

Size: AA (R6)
Typ. Capacity 2000 mAh
8 batteries per piece
EAN-code: 49-94334-28151-7

Packaging Unit:
ICA: 4 pcs, CAR: 64 pcs

Dimensions CAR:
250(L) x 320(W) x 175(H) mm
Gross weight: 14.0 kg



HR-3UTGA-4BP

Order Number: F734S1121

Size: AA (R6)
Typ. Capacity 2000 mAh
4 batteries per piece
EAN-code: 49-94334-28148-7

Packaging Unit:
ICA: 10 pcs, CAR: 120 pcs

Dimensions CAR:
250(L) x 320(W) x 175(H) mm
Gross weight: 16.1 kg



HR-3UTGA-4BP-CASE

Order Number: F734S1160

Size: AA (R6)
Typ. Capacity 2000 mAh
4 batteries per piece
+ additional battery storage case
EAN-code: 49-94334-28410-5

Packaging Unit:
ICA: 8 pcs, CAR: 96 pcs

Dimensions CAR:
250(L) x 320(W) x 175(H) mm
Gross weight: 12.3 kg



HR-3UTGA-2BP

Order Number: F734S1120

Size: AA (R6)
Typ. Capacity 2000 mAh
2 batteries per piece
EAN-code: 49-94334-28147-0

Packaging Unit:
ICA: 8 pcs, CAR: 216 pcs

Dimensions CAR:
380(L) x 288(W) x 270(H) mm
Gross weight: 14.4 kg



HR-4UTGA-4BP

Order Number: F734S1123

Size: AAA (R03)
Typ. Capacity 800 mAh
4 batteries per piece
EAN-code: 49-94334-28150-0

Packaging Unit:
ICA: 12 pcs, CAR: 144 pcs

Dimensions CAR:
250(L) x 320(W) x 175(H) mm
Gross weight: 6.2 kg



HR-4UTGA-2BP

Order Number: F734S1122

Size: AAA (R03)
Typ. Capacity 800 mAh
2 batteries per piece
EAN-code: 49-94334-28149-4

Packaging Unit:
ICA: 10 pcs, CAR: 270 pcs

Dimensions CAR:
380(L) x 288(W) x 270(H) mm
Gross weight: 9.2 kg



AD-C-2BP ENELOOP

Order Number: F734S1152

Size: C (R14)
2 adaptors per piece
EAN-code: 49-94334-28179-1

Packaging Unit:
ICA: 4 pcs
CAR: 64 pcs

Dimensions CAR:
250(L) x 320(W) x 195(H) mm
Gross weight: 1.8 kg



AD-D-2BP ENELOOP

Order Number: F734S1153

Size: D (R20)
2 adaptors per piece
EAN-code: 49-94334-28180-7

Packaging Unit:
ICA: 4 pcs
CAR: 48 pcs

Dimensions CAR:
250(L) x 320(W) x 175(H) mm
Gross weight: 2.1 kg

1 : 1500





Powered by
eneloop
Technology



HR-3UWX-4BP

Order Number: F734S1161

Size: AA (R6)

Typ. Capacity 2500 mAh

4 batteries per piece

EAN-code: 49-94334-28577-5

Packaging Unit:

ICA: 10 pcs, CAR: 120 pcs

Dimensions CAR:

250(L) x 320(W) x 175(H) mm

Gross weight: 16.0 kg



After 1 Year
75%
Remaining Capacity



eneloop lite



HR-3UQ-2BP

Order Number: F734S1155

Size: AA (R6)

Typ. Capacity 1000 mAh

2 batteries per piece

EAN-code: 49-94334-28254-5

Packaging Unit:

ICA: 8 pcs, CAR: 216 pcs

Dimensions CAR:

380(L) x 288(W) x 270(H) mm

Gross weight: 6.3 kg



HR-4UQ-2BP

Order Number: F734S1156

Size: AAA (R03)

Typ. Capacity 600 mAh

2 batteries per piece

EAN-code: 49-94334-28255-2

Packaging Unit:

ICA: 10 pcs, CAR: 270 pcs

Dimensions CAR:

380(L) x 288(W) x 270(H) mm


Gross weight: 7.0 kg



Ideal for cordless phones



After 3 Years
75%
Remaining Capacity



COMPARISON DIFFERENT ENELOOP MODELS



Product Name	eneloop		XX powered by eneloop	eneloop lite	
Technology	Ni-MH rechargeable battery		Ni-MH rechargeable battery	Ni-MH rechargeable battery	
Applications	all-purpose		medium-to-high power consumption devices	low-to-medium power consumption devices	
Charging / Discharging Cycles	up to 1500		up to 500	up to 2000	
Self-discharge	approx. 75% capacity after 3 years		approx. 75% capacity after 1 year	approx. 75% capacity after 3 years	
Size	AA (mignon)	AAA (micro)	AA (mignon)	AA (mignon)	AAA (micro)
Model Name	HR-3UTGA	HR-4UTGA	HR-3UWX	HR-3UQ	HR-4UQ
Voltage	1.2 V	1.2 V	1.2 V	1.2 V	1.2 V
Typ. Capacity	2000 mAh	800 mAh	2500 mAh	1000 mAh	600 mAh
Min. Capacity	1900 mAh	750 mAh	2400 mAh	900 mAh	550 mAh

ENELOOP CHARGERS

TGU01



TGU01-E

Order Number: 165201769
Charger without batteries
EAN-code: 49-94334-26624-8

Packaging Unit:
CAR: 10 pcs

Dimensions CAR:
630 x 410 x 220 (mm)
Gross weight: 12.2 kg

MQR06



MQR06-E-4-3UTGA

Order Number: F734S1166
Charger + 4 x HR-3UTGA
EAN-code: 49-94334-28827-1

Packaging Unit:
CAR: 8 pcs

Dimensions CAR:
370 x 295 x 155 (mm)
Gross weight: 1.8 kg
*Picture shows MQR06-E-4-3UTG



MQR06-E-4-4UTGA

Order Number: F734S1167
Charger + 4 x HR-4UTGA
EAN-code: 49-94334-28828-8

Packaging Unit:
CAR: 8 pcs

Dimensions CAR:
370 x 295 x 155 (mm)
Gross weight: 1.8 kg
*Picture shows MQR06-E-4-4UTG



MQR06-E-4-3UWX

Order Number: F734S1163
Charger + 4 x HR-3UWX
EAN-code: 49-94334-28670-3

Packaging Unit:
CAR: 8 pcs

Dimensions CAR:
370 x 295 x 155 (mm)
Gross weight: 1.8 kg

MQN09



MQN09-E-4-3UTGA

Order Number: F734S1164
Charger + 4 x HR-3UTGA
EAN-code: 49-94334-28825-7

Packaging Unit:
CAR: 8 pcs

Dimensions CAR:
400 x 335 x 160 (mm)
Gross weight: 3.0 kg
*Picture shows MQN09-E-4-3UTG



MQN09-E-4-4UTGA

Order Number: F734S1165
Charger + 4 x HR-4UTGA
EAN-code: 49-94334-28826-4

Packaging Unit:
CAR: 8 pcs

Dimensions CAR:
400 x 335 x 160 (mm)
Gross weight: 2.2 kg
*Picture shows MQN09-E-4-4UTG

MDR02



MDR02-E-2-3UTGA

Order Number: F734S1137
Charger + 2 x HR-3UTGA
EAN-code: 49-94334-28164-7

Packaging Unit:
CAR: 12 pcs

Dimensions CAR:
443 x 333 x 182 mm
Gross weight (EU): 3.6 kg
Also available with UK plug.



MDR02-E-2-4UTGA

Order Number: F734S1138
Charger + 2 x HR-4UTGA
EAN-code: 49-94334-28165-4

Packaging Unit:
CAR: 12 pcs

Dimensions CAR:
443 x 333 x 182 mm
Gross weight (EU): 3.5 kg
Also available with UK plug.

ENELOOP CHARGERS

MQN04



MQN04-E-4-3UTGA

Order Number: F734S1127
Charger + 4 x HR-3UTGA
EAN-code: 49-94334-28154-8

Packaging Unit:
CAR: 8 pcs

Dimensions CAR:
517 x 375 x 135 (mm)
Gross weight (EU): 4.0 kg
Also available with UK plug.



MQN04-E-2-3UTGA

Order Number: F734S1129
Charger + 2 x HR-3UTGA
EAN-code: 49-94334-28156-2

Packaging Unit:
CAR: 8 pcs

Dimensions CAR:
517 x 375 x 135 (mm)
Gross weight (EU): 3.8 kg
Also available with UK plug.



MQN04-E-2-4UTGA

Order Number: F734S1128
Charger + 2 x HR-4UTGA
EAN-code: 49-94334-28155-5

Packaging Unit:
CAR: 8 pcs

Dimensions CAR:
517 x 375 x 135 (mm)
Gross weight (EU): 3.5 kg
Also available with UK plug.



MQN04-E-4-4UTGA

Order Number: F734S1130
Charger + 4 x HR-4UTGA
EAN-code: 49-94334-28157-9

Packaging Unit:
CAR: 8 pcs

Dimensions CAR:
517 x 375 x 135 (mm)
Gross weight (EU): 3.7 kg
Also available with UK plug.

MDU01



MDU01-E-2-3UTGA

Order Number: F734S1135
USB travel charger
+ 2 x HR-3UTGA
EAN-code: 49-94334-28162-3

Packaging Unit:
CAR: 36 pcs

Dimensions CAR:
443 x 333 x 182 (mm)
Gross weight: 5.4 kg



MDU01-E-2-4UTGA

Order Number: F734S1136
USB travel charger
+ 2 x HR-4UTGA
EAN-code: 49-94334-28163-0

Packaging Unit:
CAR: 36 pcs

Dimensions CAR:
443 x 333 x 182 (mm)
Gross weight: 4.4 kg

POWER PACK






eneloop power pack

1 x MDR02 charger
4 x HR-3UTGA AA eneloop batteries
2 x HR-4UTGA AAA eneloop batteries
2 x NCS-TG D size adaptors
2 x NCS.TG C size adaptors

Packaging Unit:
CAR: 7 pcs

Dimensions CAR:
250(L) x 320(W) x 195(H) mm
Gross weight: 4.8 kg

COMPARISON DIFFERENT CHARGER MODELS

eneloop				
		TGU01	MQR06	MQN09
		Ni-MH Universal Charger	Ni-MH charger with individual cell charging control	Ni-MH Charger with -deltaV
Type of Charger		Premium Charger	Premium Charger	Advanced Charger
Features	Special Features	Universal charger which can charge rechargeable batteries of size AA, AAA, C and D. Inclusive of microprocessor controlled overcharge. All 8 charging slots get controlled separately.	Quick charger for the demanding user. With individual cell charging control, 100% full charge detection and microprocessor controlled overcharge. Includes Asian and American plug for travelling.	Overnight charger with -deltaV charging control and microprocessor controlled overcharge. Blue LED illumination while charging. Includes Asian and American plug for travelling.
Charging Control	Individual Cell Charging Control	yes	yes	-
	Peak-Voltage-Detection	yes	yes	-
	-deltaV Charging Control	-	-	yes
	Timer Control	yes	yes	yes
	Temperature Control/Protection	yes	yes	yes
	Dry Cell Charge Protection	yes	yes	yes
Technical Data	Charging Possibilities	1-4 rechargeable batteries C/D, 1-8 AA/AAA	1,2,3 or 4 rechargeable batteries AA/AAA	2 or 4 rechargeable batteries AA/AAA
	Universal Voltage Power Supply	yes	yes	yes
	Input	Adaptor: AC 100-240V ~, 50-60Hz, 0.4A Charger: 5.5V DC, 3A	AC 100-240V ~, 50-60Hz, 7W	AC 100-240V ~, 50-60Hz, 4W
	Output	DC 1.2V: 4 x C/D: 784mA	DC 1.2V: 4 x AA: 560mA, 2 x AA: 1120mA, 1 x AA: 1680mA	DC 2.4V: 2 x AA: 300mA
		DC 1.2V: 4 x AA/AAA: 560mA, 8 x AA/AAA: 280mA	DC 1.2V: 4 x AAA: 280mA, 2 x AA: 560mA, 1 x AAA: 840mA	DC 2.4V: 2 x AAA: 150mA
	Approximate charging time for eneloop AA (Typ. 2000 mAh), AAA (Typ. 800 mAh)	Per charging slot: 1 x AA: 240 min., 2 x AA: 480 min., 1 x AAA: 90 min., 2 x AAA: 180 min.	1 x AA: 75 min., 2 x AA: 110 min., 4 x AA: 220 min.	2 or 4 x AA: 450 min.
		1 x C: 270 min., 1 x D: 510 min.	1 x AAA: 65 min., 2 x AAA: 100 min., 4 x AAA: 200 min.	2 or 4 x AAA: 360 min.
	Charge Indicator	8 LEDs	4 LEDs	2 LEDs
	Size	188 (W) x 170 (L) x 51 (H) mm (without adaptor)	68 (W) x 112 (L) x 64 (H) mm	132 (W) x 78 (L) x 37 (H) mm
	Weight	approx. 480 g (without adaptor)	approx. 116 g	approx. 130 g

eneloop



MDR02

Ni-MH Quick Charger

Advanced Charger



MDU01

Ni-MH USB-Charger

Advanced Charger



MQN04

Ni-MH Overnight-Charger

Classic Charger

Type of Charger

Features

Special Features

Ideal for travelling: small, light, universal voltage power supply.
With microprocessor controlled overcharge.

Charge your rechargeable batteries via the USB-plug of your computer. With microprocessor controlled overcharge.

This classical charger stops charging after 16 hours automatically.

Charging Control

Individual Cell Charging Control

yes

yes

-

Peak-Voltage-Detection

yes

yes

-

-deltaV Charging Control

-

-

-

Timer Control

yes

yes

yes

Temperature Control/Protection

yes

yes

yes

Dry Cell Charge Protection

yes

yes

yes

Technical Data

Charging Possibilities

1 or 2 rechargeable batteries AA/AAA

1 or 2 rechargeable batteries AA/AAA

2 or 4 rechargeable batteries AA/AAA

Universal Voltage Power Supply

yes

Charging via USB

-

Input

AC 100-240V ~, 50-60Hz, 0.08A MAX

DC 5V 0.5A (MAX)

AC 230V ~, 50Hz, 5W

Output

DC 1.2V: 2 x AA: 550mA

DC 1.2V: 1 x AA/AAA: 850mA

DC 2.4V: 2 x AA: 250mA

DC 1.2V: 2 x AAA: 380mA

DC 1.2V: 2 x AA/AAA: 450mA

DC 2.4V: 2 x AAA: 120mA

Approximate charging time for eneloop AA (Typ. 2000 mAh), AAA (Typ. 800 mAh)

2 x AA: 230 min.

1 x AA: 140 min., 2 x AA: 280 min.

2 or 4 x AA: 600 min.

2 x AAA: 135 min.

1 x AAA: 60 min., 2 x AAA: 120 min.

2 or 4 x AAA: 480 min.

Charge Indicator

LED

LED

2 LEDs

Size

70.5 (W) x 74.5 (L) x 27.5 (H) mm

47 (W) x 93 (L) x 17.5 (H) mm

75 (W) x 118 (L) x 79 (H) mm

Weight

approx. 76 g

approx. 48 g

approx. 230 g

MOBILE BOOSTERS

eneloop mobile booster

Back-up power for portable electronic devices (via USB-connector)



Charges USB compatible mobile phones and electronic devices



Use it on the go, anytime, anywhere.



KBC-L2B

Order Number: 165202389 eneloop mobile booster with 2 Lithium-Ion batteries inside
EAN-code: 49-94334-28589-8

Packaging Unit: CAR: 20 pcs

Dimensions CAR:
374(L) x 230(W) x 228(H) mm
Gross weight: 6.5 kg

Features:

- particularly powerful
- 2 Lithium-Ion batteries
- gets charged via USB-connector or AC-connector
- inclusive Micro-USB adapter, Mini-USB-cable and AC adapter
- 2 x USB terminal
- Output of 2 x 500mA or 1 x 1A
- Indicator light shows capacity level
- AC connector reduces charging time: 14 -> 7h
- Compatible with iPad 1& 2, iPhone (3G, 3GS, 4)



KBC-L3A

Order Number: 165202320 eneloop mobile booster with 1 Lithium-Ion battery inside
EAN-code: 49-94334-28689-5

Packaging Unit: CAR: 20 pcs

Dimensions CAR:
264(L) x 230(W) x 171(H) mm
Gross weight: 3.1 kg


Features:

- high capacity
- 1 Lithium-Ion battery
- gets charged via USB-connector
- inclusive Mini-USB-cable
- 1 x USB terminal
- Output: 500mA
- Indicator light shows capacity level
- Compatible with iPhone (3G, 3GS, 4)


PEDAL JUICE

Rechargeable 9V Power for Music Equipment

Noise comparison (PEDAL JUICE vs. AC outlet)



PEDAL JUICE



Typical AC adaptor used for powering effects pedals

PEDAL JUICE operating time examples




Approx. 50 hours of playing time



Approx. 15 hours of playing time



Approx. 4 hours of playing time



KBC-9V3E PEDAL JUICE

Order Number: 165202486
Rechargeable 9V Power for Music Equipment
EAN-code: 49-94334-286-017

Packaging Unit:

CAR: 12 pcs

Dimensions CAR:

360(L) x 330(W) x 255(H) mm



Features:

- Clean, stable power for great sound over extended periods
- No ground loops to spoil your tone
- Power multiple devices like pedals, multi-effects and portable recorders from dual 9V DC outputs
- Compact footprint like a standard effect pedal
- 1 ON/OFF button eliminates plugging in/out
- 3-stage power status LED indicator
- Water-resistant
- Rechargeable hundreds of times, saving money and helping the environment
- Just 3.5 hours to fully recharge using AC adaptor

NICKEL METAL HYDRIDE



HR-3U-4BP (2700 mAh)

Order Number: F734S0910
Size AA (R6)
4 batteries per piece
EAN-code: 49-94334-21733-2

Packaging Unit:
ICA: 10 pcs, CAR: 120 pcs

Dimensions CAR:
320(L) x 250(W) x 175(H) mm
Gross weight: 15.9 kg



HR-3U-2BP (2700 mAh)

Order Number: F734S0909
Size AA (R6)
2 batteries per piece
EAN-code: 49-94334-21732-5

Packaging Unit:
ICA: 8 pcs, CAR: 216 pcs

Dimensions CAR:
380(L) x 295(W) x 265(H) mm
Gross weight: 16.2 kg



HR-3U-4BP (2500 mAh)

Order Number: F734S0923
Size AA (R6)
4 batteries per piece
EAN-code: 49-94334-19973-7

Packaging Unit:
ICA: 10 pcs, CAR: 120 pcs

Dimensions CAR:
320(L) x 250(W) x 175(H) mm
Gross weight: 15.9 kg



HR-3U-2BP (2500 mAh)

Order Number: F734S0922
Size AA (R6)
2 batteries per piece
EAN-code: 49-94334-19972-0

Packaging Unit:
ICA: 8 pcs, CAR: 216 pcs

Dimensions CAR:
380(L) x 295(W) x 265(H) mm
Gross weight: 16.2 kg



HR-4U-2BP (1000 mAh)

Order Number: F734S0911
Size AAA (R03)
2 batteries per piece
EAN-code: 49-94334-21734-9

Packaging Unit:
ICA: 10 pcs, CAR: 270 pcs

Dimensions CAR:
380(L) x 295(W) x 265(H) mm
Gross weight: 10.6 kg



MQN04-E-4-2700

Order Number: F16431221
Plug and play charger
+ 4 x HR-3U 2700 mAh
EAN-code: 49-94334-23099-7

Packaging Unit:
CAR: 8 pcs

Dimensions CAR:
517(L) x 375(W) x 135(H) mm
Gross weight: 3.3 kg



MQN04-E-4-2500

Order Number: F16431220
Plug and play charger
+ 4 x HR-3U 2500 mAh
EAN-code: 49-94334-23100-0

Packaging Unit:
CAR: 8 pcs

Dimensions CAR:
517(L) x 375(W) x 135(H) mm
Gross weight: 3.3 kg

ALKALINE



LR6/8B

Order Number: 166800024
Size: AA
8 batteries per piece
EAN-code: 49-94334-21574-1

Packaging Unit:
ICA: 10 pcs, CAR: 50 pcs

Dimensions CAR:
334(L) x 148(W) x 157(H) mm
Gross weight: 9.7 kg



LR6/4B

Order Number: 166800022
Size: AA
4 batteries per piece
EAN-code: 49-94334-13882-8

Packaging Unit:
ICA: 20 pcs, CAR: 160 pcs

Dimensions CAR:
340(L) x 304(W) x 220(H) mm
Gross weight: 16.8 kg



LR6/2B

Order Number: 166800021
Size: AA
2 batteries per piece
EAN-code: 49-94334-13881-1

Packaging Unit:
ICA: 10 pcs, CAR: 120 pcs

Dimensions CAR:
260(L) x 255(W) x 190(H) mm
Gross weight: 7.1 kg



LR03/4B

Order Number: 166800028
Size: AAA
4 batteries per piece
EAN-code: 49-94334-13884-2

Packaging Unit:
ICA: 20 pcs, CAR: 360 pcs

Dimensions CAR:
397(L) x 393(W) x 220(H) mm
Gross weight: 19.7 kg



LR03/2B

Order Number: 166800027
Size: AAA
2 batteries per piece
EAN-code: 49-94334-13883-5

Packaging Unit:
ICA: 10 pcs, CAR: 120 pcs

Dimensions CAR:
255(L) x 200(W) x 190(H) mm
Gross weight: 4.0 kg



LR14/2B

Order Number: 166LR142BPV
Size: C
2 batteries per piece
EAN-code: 49-94334-13805-7

Packaging Unit:
ICA: 10 pcs, CAR: 100 pcs

Dimensions CAR:
425(L) x 270(W) x 150(H) mm
Gross weight: 15.3 kg



LR20/2B

Order Number: 166LR202BPV
Size: D
2 batteries per piece
EAN-code: 49-94334-13803-3

Packaging Unit:
ICA: 10 pcs, CAR: 50 pcs

Dimensions CAR:
420(L) x 180(W) x 160(H) mm
Gross weight: 14.9 kg



6LF22/1B

Order Number: 166800036
Size: 9V
1 battery per piece
EAN-code: 49-94334-13030-3

Packaging Unit:
ICA: 12 pcs, CAR: 288 pcs

Dimensions CAR:
560(L) x 260(W) x 285(H) mm
Gross weight: 17.1 kg



LR1/2B

Order Number: 166800044
Size: N
2 batteries per piece
EAN-code: 49-94334-03013-9

Packaging Unit:
ICA: 20 pcs, CAR: 500 pcs

Dimensions CAR:
588(L) x 382(W) x 185(H) mm
Gross weight: 13.0 kg



LR6/2S

Order Number: 166800023
Size: AA
2 batteries per piece
EAN-code: 49-94334-17559-5

Packaging Unit:
ICA: 20 pcs, CAR: 100 pcs

Dimensions CAR:
275(L) x 155(W) x 85(H) mm
Gross weight: 5.0 kg



LR03/2S

Order Number: 166800029
Size: AAA
2 batteries per piece
EAN-code: 49-94334-23940-2

Packaging Unit:
CAR: 500 pcs

Dimensions CAR:
300(L) x 260(W) x 150(H) mm
Gross weight: 12.2 kg



LR6/20S

Order Number: 166800025
Size: AA
20 batteries per piece
EAN-code: 49-94334-21543-7

Packaging Unit:
CAR: 20 pcs

Dimensions CAR:
302(L) x 134(W) x 154(H) mm
Gross weight: 9.5 kg

MANGANESE



UM-1/2B

Order Number: 166800033
Size: D (R20)
 2 batteries per piece
EAN-code: 49-94334-15579-5

Packaging Unit:
 ICA: 12 pcs, CAR: 72 pcs

Dimensions CAR:
 185(L) x 500(W) x 237(H) mm
 Gross weight: 14.8 kg



UM-2/2B

Order Number: 166800034
Size: C (R14)
 2 batteries per piece
EAN-code: 49-94334-15580-1

Packaging Unit:
 ICA: 12 pcs, CAR: 144 pcs

Dimensions CAR:
 275(L) x 345(W) x 280(H) mm
 Gross weight: 15.2 kg



UM-3/4B

Order Number: 166800035
Size: AA (R6)
 4 batteries per piece
EAN-code: 49-94334-15581-8

Packaging Unit:
 ICA: 12 pcs, CAR: 144 pcs

Dimensions CAR:
 283(L) x 288(W) x 203(H) mm
 Gross weight: 12.2 kg



UM-4/4B

Order Number: 166800061
Size: AAA (R03)
 4 batteries per piece
EAN-code: 49-94334-26879-2

Packaging Unit:
 ICA: 20 pcs, CAR: 360 pcs

Dimensions CAR:
 396(L) x 393(W) x 200(H) cm
 Gross weight: 15.7 kg



S006P/1B

Order Number: 166800062
Size: 9V (6F22)
 1 battery per piece
EAN-code: 49-94334-26880-8

Packaging Unit:
 ICA: 12 pcs, CAR: 288 pcs

Dimensions CAR:
 348(L) x 258(W) x 372(H) cm
 Gross weight: 14.5 kg



UM-1/2S

Order Number: 166800030
Size: D (R20)
 2 batteries per piece
EAN-code: 49-94334-12488-3

Packaging Unit:
 ICA: 12 pcs, CAR: 144 pcs

Dimensions CAR:
 282(L) x 417(W) x 206(H) mm
 Gross weight: 28.4 kg



UM-2/2S

Order Number: 166800031
Size: C (R14)
 2 batteries per piece
EAN-code: 49-94334-12489-0

Packaging Unit:
 ICA: 12 pcs, CAR: 144 pcs

Dimensions CAR:
 215(L) x 322(W) x 174(H) mm
 Gross weight: 14.1 kg



UM-3/4S

Order Number: 166800032
Size: AA (R6)
 4 batteries per piece
EAN-code: 49-94334-12490-6

Packaging Unit:
 ICA: 6 pcs, CAR: 144 pcs

Dimensions CAR:
 245(L) x 181(W) x 165(H) mm
 Gross weight: 10.9 kg



UM4/2S

Order Number: 166800037
Size: AAA (R03)
 2 batteries per piece
EAN-code: 49-94334-13029-7

Packaging Unit:
 ICA: 20 pcs, CAR: 800 pcs

Dimensions CAR:
 370(L) x 260(W) x 170(H) mm
 Gross weight: 15.0 kg



S-006P/1S

Order Number: 166800038
Size: 9V (6F22)
 1 battery per piece
EAN-code: 49-94334-23941-9

Packaging Unit:
 ICA: 10 pcs, CAR: 200 pcs

Dimensions CAR:
 270(L) x 170(W) x 165(H) mm
 Gross weight: 8.1 kg

DISPLAYS



eneloop metal floor display

Order Number: PM2300050
Size: 50(L) x 50(W) x 190(H) cm

Packaging Unit:
1 pc

Dimensions CAR:
50(L) x 55(W) x 105(H) cm
Gross weight: 18.0 kg



eneloop plastic counter display

Order Number: PM2300051
Size: 44(L) x 18(W) x 52(H) cm

Packaging Unit:
1 pc

Dimensions CAR:
45(L) x 21(W) x 54(H) cm
Gross weight: 1.7 kg



Sanyo plastic counter display

Order Number: PM2300052
Size: 44(L) x 18(W) x 52(H) cm

Packaging Unit:
1 pc

Dimensions CAR:
45(L) x 21(W) x 54(H) cm
Gross weight: 1.7 kg



For more details please call your local dealer



SANYO Component Europe GmbH
Mobile Energy Business Division

Stahlgruberring 4, D-81829 München
Phone +49/89/460095-0
Fax +49/89/460095-190
info.energy@sanyo-component.com
www.sanyo-component.com
www.eneloop.info